MATERIAL SAFETY DATA SHEET



INCORPORATED

245 FREIGHT ST. • WATERBURY, CT 06702 • (203) 575-5700

PRODUCT

MacStrip 478

PRODUCT

CODE 10067

PRODUCT CODE MUST ACCOMPANY ALL INQUIRIES REGARDING THIS PRODUCT

Flammability Reactivity Health

5/01/1994 Issue Date:

Page:

Revised Date: 10/05/1995

3

Other

1

24 HR. EMERGENCY NUMBER: CHEMTREC (800) 424-9300

SECTION

IDENTIFICATION **PRODUCT**

TRADE NAME:

MacStrip 478

CHEMICAL FAMILY: ORGANIC MIXTURE

FORMULA: Proprietary Mixture

HMIS RATING:

2 HEALTH

0=Insignificant

1 FLAMMABILITY O REACTIVITY 1=Slight

2=Moderate 3-High OTHER

4=Extreme

SECTION 2 HAZARDOUS INGREDIENTS

MacDermid Inc. has identified the following chemical ingredient(s) as hazardous.

INGREDIENT(S)

CAS_#____

BY_WEIGHT_%_

Diethylene Glycol Butyl Ether

112-34-5

30

SECTION

DENSITY:

PHYSICAL DATA

8.510 LB/GL

NOT DETERMINED

FORM: LIQUID

SPECIFIC GRAVITY: FREEZING POINT: < 1.020

NOT DETERMINED pH:

210.00F/ 98.88C FLASH POINT:

VAPOR PRESSURE: NOT DETERMINED

VOLATILE %: NOT DETERMINED

CHEMICAL OXYGEN DEMAND (COD): NOT DETERMINED

SOLUBILITY IN WATER:

COLOR / ODOR:

Emulsifies

Light yellow/slight odor

NOTE:

These physical properties are typical values for this product

SECTION

FIRE AND EXPLOSION DATA

FLASH POINT:

210.00F/ 98.88C

EXTINGUISHING MEDIA:

NEVER allow run-off to enter sewers or waterways. Dry chemical; carbon dioxide; foam; water

As appropriate for surrounding material

NUSUAL FIRE & EXPLOSION HAZARDS: roduct may burn but does not easily ignite

449206

Incorporated MacDermid

45 FREIGHT STREET - WATERBURY, CT08702 - TELEPHONE (203)875-5700 - TELEX 4436011 - FAX 203-575-5630

DATA SHEET SAFETY MATERIAL

Product: MacStrip 478

Issue Date: 5/01/1994

Page:

Product Code: 10067

Revised Date: 10/05/1995

24 Hour Emergency Number: CHEMIREC (1-800-424-9300)

SECTION

EXPLOSION DATA (Continued) FIRE AND

Wear self-contained breathing apparatus/protective clothing

SECTION

FIRST AID DATA

Contact a physician in all cases of exposure. First aiders should provide for their own safety prior to rendering assistance

EYES:

Immediately flush with large quantities of water for at least 15 minutes and call a physician.

SKIN:

Flush with large amounts of water for 15 minutes.

LNGESTION:

Call a physician immediately. Induce vomiting if victim is conscious. Never give anything by mouth to an unconscious person.

INHALATION:

Remove victim to fresh air and call a physician immediately. If not breathing give mouth to mouth respiration. If breathing is difficult, give oxygen.

CAUTION: If unconscious-having trouble breathing-or in convulsions do not induce vomiting or give water.

Always clean contaminated clothing and gear prior to reuse. NEVER administer anything to an unconscious person.

SECTION 6

HEALTH EFFECTS DATA

Primary Route(s) of Exposure: Eye, Skin, Inhalation, and Ingestion

EYE CONTACT (ACUTE):

Chemical irritation follows initial mechanical irritation May cause slight irritation to sensitive individuals Intense watering of eyes may occur

SKIN CONTACT (ACUTE):

Itching sensation may occur May cause irritation and damage to skin

KIN CONTACT (CHRONIC): Prolonged or repeated contact may cause irritation

MacDermid Incorporated

45 FREIGHT STREET - WATERBURY, CT06702 - TELEPHONE (203)575-5700 - TELEX 4438011 - FAX 203-578-5830

MATERIAL SAFETY DATA

Product: MacStrip 478

Issue Date: 5/01/1994

Page:

Product Code: 10067

Revised Date: 10/05/1995

24 Hour Emergency Number: CHEMIREC (1-800-424-9300)

SECTION

HEALTH EFFECTS DATA

(Continued)

INGESTION (ACUTE):

irritation and burning sensation of lips/mouth and throat The substance is moderately toxic if swallowed. Headache and general weakness may occur

INHALATION (ACUTE):

Mild irritation to respiratory system Temporary headache may occur Irritation of mucous membrane of nose/mouth/throat may occur

SECTION

PERSONAL PROTECTIVE DATA

ESPIRATORY PROTECTION: If there is a value for OSHA-PEL/ACGIH-TLV in section 13 and it is exceeded, it is recommended that a NIOSH approved respirator be used. Consult with your Industrial Hygienist for appropriate cartridge selection and use.

For Large spills, entry into large tanks, vessels or enclosed small spaces with inadequate ventilation, a pressure demand, self contained breathing apparatus is recommended.

VENTILIATION:

General ventilation is recommended. Additionally, local exhaust ventilation is recommended where vapors, dusts, mists or aerosols may be released.

PROTECTIVE EQUIPMENT:

Safety glasses and/or splash proof goggles, face shields and the availability of an eye wash is recommended. Chemical apron, boots and gloves. Recommended material of construction: neoprene. The availability of a safety shower is recommended. If clothing is contaminated remove clothing and thoroughly wash the affected body area. Launder contaminated clothing before reuse.

These are general recommendations to provide a safe level of protection for various material handling conditions. Consult with your Safety Professional/Industrial Hygenist for specific information regarding applications at your facility.

TOXICOLOGY DATA

SECTION

MacDermid Incorporated

245 FREIGHT STREET - WATERBURY, CT08702 - TELEPHONE (203)575-5700 - TELEX 4438011 - FAX 203-575-5630

MATERIAL SAFETY DATA SHEET

Product: MacStrip 478

Issue Date: 5/01/1994

Page:

Product Code: 10067

Revised Date: 10/05/1995

24 Hour Emergency Number: CHEMIREC (1-800-424-9300)

SECTION

TOXICOLOGY DATA

(Continued)

Toxicity studies have not been conducted on this product. TOXICITY STUDIES: However, toxicity literature surveys have been conducted on the ingredient(s) in Section 2. The results are as follows:

ACUTE ORAL TOXICITY: Unknown

ACUTE DERMAL TOXICITY: Unknown

ACUTE RESPIRATORY TOXICITY:

Unknown

OXICITY HAZARD REVIEW (THR): Unknown

Listed as suspected carcinogen by: IARC: NO NTP: NO OSHA:

SECTION

REACTIVITY DATA

INCOMPATIBILITY:

Acids, Oxidizing agents Strong bases

9

HAZARD DECOMPOSITION PRODUCTS:

Under thermal conditions carbon monoxide and dioxide

STABILITY:

Stable

CONDITIONS TO AVOID:

Heat, spark, open flame

HAZARDOUS POLYMERIZATION: No Hazardous Polymerization.

SECT ION 10

SPILLS & DISPOSAL DATA

n case of Transportation Accidents, call the following 24 hour elephone number: CHEMTREC (1-800-424-9300)

SPILL CONTROL AND RECOVERY: Wear protective clothing and equipment during cleanup. Absorb spills

MacDermid incorporated

245 FREIGHT STREET - WATERBURY, CT08702 - TELEPHONE (203)575-5700 - TELEX 4436011 - FAX 203-575-5630

MATERIAL SAFETY DATA SHEET

Product: MacStrip 478

Issue Date: 5/01/1994

Page:

Product Code: 10067

Revised Date: 10/05/1995

24 Hour Emergency Number: CHEMIREC (1-800-424-9300)

SECTION 10

SPILLS & DISPOSAL DATA

(Continued)

on an inert material such as earth, sand or vermiculite; sweep up and dispose of in accordance with federal, state and local regulations.

DISPOSAL:

Incinerate at an EPA-approved incineration site.

Due to more restrictive waste disposal regulations, NEVER wastetreat or dispose of material until you check your appropriate local, state, & federal regulations for requirements. Spills may REQUIRE notification to FEDERAL, STATE and/or LOCAL AUTHORITIES.

SECTION 11

TRANSPORTATION DATA

POT PROPER SHIPPING NAME: NON-REGULATED

AZARD:

O/NON REGULATED

UN/NA# :

000000

Pkg Grp:

DOT REPORTABLE QUANTITY (RQ): NOT APPLICABLE

IMO: ORGANIC ADDITIVE

IMO Class/Sub Class:

NON-REGULATED/0/0

Pkg Grp:

UN/NA# : 000000

IATA: ORGANIC ADDITIVE

IATA Cis/Sub Cis: NON-REGULATED/0/0

Pkg Grp:

UN/NA# : 000000

EXPORT LICENSE MAY BE REQUIRED TO EXPORT THIS PRODUCT

SECTION 12

GENERAL STORAGE DATA

STORAGE TEMPERATURE: MAXIMUM:

120.00F

48.88C

Minimum: 37 F

Material should be stored in the properly sealed original container

Wear protective clothing and equipment while handling.

SECTION 13

REGULATORY DATA

The following regulations apply to this product.

FEDERAL REGULATIONS:

Incorporated MacDermid

IS FREIGHT STREET - WATERBURY, CT06702 - TELEPHONE (203)575-5700 - TELEX 4438011 - FAX 203-575-5630

SHEET MATERIAL SAFETY DATA

Product: MacStrip 478

Issue Date: 5/01/1994

Page:

Product Code: 10067

Revised Date: 10/05/1995

24 Hour Emergency Number: CHEMIREC (1-800-424-9300)

SECTION 13

REGULATORY DATA

(Continued)

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200: Based on our evaluation, NO ingredients in this product are subject to this rule.

CERCLA/SUPERFUND, 40 CFR 117, 302/304: Notification of spills of this product is NOT required.

SARA/SUPERFUND AMENDMENTS & REAUTHORIZATION ACT of 1986 (TITLE III) Sections 302, 311, 312, & 313:

SECTION 302: Extremely Hazardous Substances (40 CFR 355) This product does not contain ingredient(s) listed in APPENDIX A of 40 CFR 355

SECTIONS 311 & 312 - M.S.D.S REQUIREMENTS (40 CFR 370):

- Delayed (Chronic) health hazard X Immediate (Acute) health hazard Sudden release of pressure hazard Fire Hazard
- _ Reactive hazard

Under Section 311, submittal of MSDS or a list of product names to the local emergency planning commission, state emergency response commission, the local fire department is required after October 17, 1987. Consult the regulation for pertinent changes and updates.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product contains ingredient(s) listed under 40CFR 372.65

CHEMICAL NAME__

CAS_#____

Glycol ethers

112-34-5

TOXIC SUBSTANCE CONTROL ACT (TSCA): The chemical ingredient(s) in this product are listed on the 8(b) Inventory List (40 CFR 710).

RESOURCE CONSERVATION & RECOVERY ACT (RCRA), 40 CFR 261 SUBPARTS C & D:

Please refer to Section 10, disposal information for pertinent data

TOTAL TOXIC ORGANICS

This product does not contain ingredients on the List of Total Toxic Organics

OSHA PROCESS SAFETY (1910.119): This product does not contain ingredient(s) listed in Appendix A of 29 CFR 1910.119 list of Highly Hazardous Chemicals, Toxics and Reactives of OSHA process safety management.

CLEAN AIR ACT: This product contains ingredient(s) listed in CAA Hazardous Air Pollutants (HAPs)

MacDermid Incorporated

245 FREIGHT STREET - WATERBURY, CT08702 - TELEPHONE (203)575-5700 - TELEX 4438011 - FAX 203-576-5630

MATERIAL SAFETY DATA SHEET

Product: MacStrip 478

Issue Date: 5/01/1994

Page:

Product Code: 10067

Revised Date: 10/05/1995

24 Hour Emergency Number: CHEMIREC (1-800-424-9300)

SECTION 13

REGULATORY DATA

(Continued)

of CAA 40 CFR, 112(G).

CHEMICAL NAME

CAS_#____

BY_WEIGHT_%

Diethylene Glycol Butyl Ether

112-34-5

25 - 30

OZONE DEPLETING SUBSTANCES: This product does not contain ingredient(s) listed on Ozone Depleting Substances of CAA 40 CFR 82.

STATE REGULATIONS:

California Proposition 65:

This product complies with the MSDS and labeling requirements of the Safe Drinking Water and Toxic Enforcement Act of 1986.

his product does not contain ingredient(s) listed on California Prop65 List

Michigan Critical Materials:

This product does not contain ingredient(s) listed on the Michigan Critcal Materials Register.

The information listed above does not include all Federal, State, and International regulations. The regulations listed above may change from time to time; it is the users responsibility to keep advised of current regulatory requirements.

Prepared by MacDermid Inc. Safety & Regulatory Compliance Department, based upon publicly available reference information.

SECTION 14

USER NOTIFICATION

To the best of our knowledge the information contained herein is correct. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitibility of the chemical is the sole responsibility of the useuser. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FORA PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HERE UNDER WITHRESPECT TO THE INFORMATION CONTAINED HEREIN OR THE CHEMICAL TO WHICH THE INFORMATION REFERS.